

BLACK EARTH humizEN Alpha

CONTAINS BENEFICIAL SUBSTANCE

Humic Acids derived from humalite

2.0%

PRODUCT INFORMATION

HumiZEN Alpha is a liquid solution containing humic acids. It is suitable for applications as a soil amendment and foliar spray and is compatible with a wide range of liquid fertilizers. Applications made according to directions for use may enhance nutrient availability and uptake. Humic substances enhance soil chemical properties, including cation exchange capacity and micronutrient chelation, which may improve the availability and root uptake of essential micronutrients.

DIRECTIONS FOR USE

Read label in its entirety. Shake or agitate container prior to use. Apply humiZEN Alpha as a stand-alone product or blended with compatible liquid fertilizers. Suitable applications include banding, injection into irrigation water, blending with transplant water, and foliar sprays. Always conduct a jar test to confirm compatibility prior to blending with any other product. Apply only as directed.

Refer to Technical Data Sheet (TDS) for specific blending/mixing capabilities for this product.



RECOMMENDED APPLICATIONS

CEREALS, OILSEEDS, PULSES, FRUIT & VEGETABLE

Soil applications: Apply in band applications, in furrow, or injected into irrigation water at rates of .27-1.07 gal./ac. per application, up to 5 times per season, from pre-plant until fruit set.

Foliar applications: Apply at rates of .134-.267 gal./ac. per application, diluted in water at maximum 10% concentration, up to 5 times annually at any time from pre-plant until fruiting. **Caution** – applications made after fruit set may stain fruit.

TREE FRUITS & VINES

Soil applications: Apply broadcast or band applications, or injected into irrigation water, at rates of .27-1.07 gal./ac. per application, up to 5 times per season. Applications may be made at any point in the growing season, until and including fruit set.

Foliar applications: Apply at rates of .134-.267 gal./ac. per application, diluted in water at maximum 10% concentration, up to 5 times annually at any time from pre-plant until fruiting. **Caution** – applications made after fruit set may stain fruit.

TURF & ORNAMENTAL, GREENHOUSE CROPS (INCLUDING CANNABIS)

Transplant water: Add to transplant water at rates 1 gal./100 gal. of water.

Soil applications: Apply broadcast or band applications, or injected into irrigation water, at rates .27-1.07 gal./ac. per application, up to 5 times per season at any growth stage

Foliar applications: Apply at rates of .134-.267 gal./ac. per application, diluted in water at maximum 10% concentration, up to 5 times annually at any time from pre-plant until fruit set. **Caution** – applications made after fruit set may stain fruit (or other harvestable parts of the plant).

GUARANTEED BY

WESTMET GROUP CANADA LTD

5555 Calgary Trail NW, Suite 1270, Edmonton, AB, T6H 5P9, Canada

CONDITIONS OF SALE & LIMITATION OF WARRANTY & LIABILITY

The manufacturer guarantees only that the composition of this product conforms to the description on the label and that the product is suited to the stated purposes when used according to the Direction for Use. No individuals or companies are authorized to make any further warranty, expressed or implied, concerning the selection, use, handling, or storage of this product. The manufacturers' liability will be limited to the refund of purchase price or, at manufacturers' discretion, replacement of product.

NET WEIGHT	<input type="checkbox"/> 2,315 LB. (1,050 KG)	<input type="checkbox"/> 44 LB. (19.85 KG)
NET VOLUME	<input type="checkbox"/> 265 GAL. (1,000 L)	<input type="checkbox"/> 5 GAL. (18.9 L)
DENSITY	8.43 LB./GALLON @ 68° FAHRENHEIT	
MADE IN ALBERTA, CANADA		